THE PREMIUM PADEL COURTS

mejor Set

mejor set

*

mejor Set

melt rSE

mejor! at

OFFICIAL Court



INDEX

Catalogue

- GLOBAL DISTRIBUTION
- MARKET LEADER Our trajectory / History
- OFFICIAL COURTS
- TOURNAMENTS
- COURTS
 Premier Special Edition Court
 FIP Official Court
 Full Panoramic
 Panoramic RC10
 V-PRO Classic
 X-Treme Court

TURF Mondo STX 90 12 A SUPERCOURT XN STX 90 12 A Italgreen

•

FIP TURF

Zeta Straight

EXTRAS


CONTACT

mejorst





mejor Se



MejorSet is a company dedicated to developing, manufacturing, installing, and maintaining Padel Courts since 2003.

With the main facilities located in a town of Alicante, Crevillente, **MejorSet** has become the official court of the **International Padel Federation** and **Premier Padel** and is present at the most representative international tournaments of the padel sector.

Already present in more than 40 countries and having built hundreds of padel clubs, in MejorSet we pursue the goal of continuing to grow the sport of padel by offering premium facilities and ensuring and excellent service around the globe.

INTERNATIONAL Padel Federation






MARKET LEADER

20 Years of experience





Tournaments













1140



VIENN/ PADEL OPEN[®]















PREMIER PADEL

OFFICIAL COURT

2024-2026

Premier Padel 2024-2026

Official court for Premier Padel





mejor set

CE

UNE-EN 1090

mejjor **Set**



mejor set



mejor Set



Special Edition **PREMIER PADEL**

The most premium Padel Court has arrived.

A unique Full Panoramic court redesigned with Premier Padel colors and branding.

The court that ensures maximum visibility during the game, with an exclusive design of lamp post in the shape of a half padel racket, court numbering to offer the sensation of a limited edition and with the innovation of the Shock Lock system invented by MejorSet, especially for the improvement of the playability in tournaments.

Wind load: 120 km/h

Designed for top projects

A Limited Edition with serial number, created for both indoor or outdoor projects, with the option to be primed for extreme outdoor conditions.

Portable or fixed

This court model can be fixed or portable. The portable option allows the installation on other sports facilities.

Anti-injury system

Covered mesh to create a safe playing arena and protect the glass

Laser cut technology

Designed to allow moisture egress and oxidation.












Special Edition by **PREMIER PADEL**

Two colors available:Golden and Black







Protection and covers

Included net protectors with custom logo, entry cover and entrance plate or carpet with Premier Padel branding.



Turf

Special Edition Textured turf of 10mm designed by MONDO, ensuring the best grip and playability or monofilament turf for extreme heat conditions.

Glass and corners

12mm of tempered glass that provides total visibility and resistance to the most demanding game.

My Set Sto surver

Structure

Galvanized steel structure with epoxy paint certified with QUALICOAT, in black or Premier Padel gold color. Optionally it can has two-coat pure epoxy priming for extreme conditions and coastal areas.

×

Lighting

New exclusive design of lamp post emulating half a padel racket.

Eight linear LED spotlights of 200W each, featuring the most premium lighting, with a curved lamp post design by MejorSet.



Shock Lock

PREMIER

SEL

OFFICIAL

Shock absorption system. It blocks vibrations in the structure at the moment of player impact, and extends the useful lifetime of the court.



PADEL

SPADEL

MEDICAL STATES



OFFICIAL COURT

2020-2024



FIP 2020-2024

Official court for the International Padel Federation

1





FIP Official Court

Highest standards and exclusive design

Designed to set the highest quality standards in the game and provide maximum visibility while maintaining a disruptive design with the FIP's official colours and logo.







ISO 14001

Features

- Court measurement 10x20m
- 12mm tempered glass
- Anti-injury folding mesh system
- Galvanized steel structure with QUALICOAT[®] paint coating.
- Lamp posts with a unique design for this model. 8 x 200W LED lighting of the latest generation.
- 10mm texturized artificial turf or 12mm monofilament for high temperature environments.

F

UNE-EN 1090

mejorset

- Exclusive FIP and MejorSet logo on the structure, protectors and netting pole, as entrance trim.
- Exclusive Structure Color Blue RAL 5026

Customization Options

- Turf color options
- Premium LED lighting

クロン Winload: フロン 144 km/h

Extra

- Two-coat pure epoxy primer for coastal and high-temperature environments
- Installation services
- Worldwide transportation and logistics services
- After sales service





Turf

Top turf used in the best tournaments, textured of 10mm, to guarantee a perfect bounce and grip of the foot.

11-

major Set

* READEL

Jeen fan

Distinctive logos and customized corners

Exclusive lighting

200W LED lightning. FIP Limited Edition design with it's logo.

PREMIUM PADEL COURTS

- inte die die der der der

Glass

12mm of tempered glass that provides total visibility and resistance to the most demanding game.

UNIQUE AND LIMITED EDITION

AR AF

北

FIP Official Court

Protection and covers

Includes protectors and net post with FIP logo, and entrance trim.

Full Panoramic

The Official Court used for the best tournaments of Premier Padel and FIP

The Full Panoramic court, without corners (pillars), recognized as the best padel court due to the clean view it provides and and the most avant-garde design.



Features

- Court size 10x20m
- 12mm tempered glass
- Anti-injury folded mesh system
- Galvanized steel structure with QUALICOAT[®] paint coating.
- Latest generation LED lighting 8 x 200W
- Textured turf of 10mm, MONDO SuperCourt or Italgreen Padel Pro. Monofilament option available for heat environments.



Extra

Customization Options

- Single padel court 6mx20m
- Light posts design (curve, straight or Z)
- Turf and structural elements colour options
- Included entry and net protectors personalized with clients logo
- Included entrance plate with MejorSet's logo
- Two-coat pure epoxy primer for coastal and high-temperature environments
- LED lighting premium LED Project
- Installation services
- Global shipping and logistics services
- After-sales service





Winload:

120 km/h

PORTABLE SYSTEM

Portability

Optionally this court can integrate a ring of portability, it does not require screws to anchor it to the ground.

Winload: 95 km/h

Ideal for events or to install it in an area where it is not possible to drill holes. Example: on top of a tennis court.







Turf

The highest quality 10mm textured turf used in official tournaments, that ensures the best grip and playability.

KDAPER

Structure

Galvanized steel and epoxy paint certified with QUALICOAT, in all the possible colors.



3 different options for the shape and personalization on the colors of the lights structure.

Choose between different spotlight models according to the light intensity required for your project.



Glass and corners

12mm of tempered glass that provides total visibility and resistance to the most demanding game.

BEST FOR VISIBILITY

·360°-

Full Panoramic

Protection and covers

Includes net protectors and custom net post and official MejorSet logo entrance plate.

Ensuring the best glass fixation

Why We Don't Use Corner Brackets

At MejorSet, we prioritize safety and durability. That's why we choose not to use corner brackets for our glass installations on Full Panoramic and Premier Courts. Instead, we use a proven polymer solution, offering several key advantages:

- Enhanced Safety: By eliminating the need to drill holes in the glass, we significantly reduce the risk of cracks and breaks, ensuring the glass remains impact-resistant.
- Long-Term Durability: Our polymer maintains its integrity over time, even in outdoor installations, providing reliable support and stability.
- Proven Track Record: Our extensive experience with this method has consistently demonstrated its effectiveness and reliability





Panoramic RC10

High performance and panoramic view

With corners added to the Full Panoramic version, it allows full customization with more color. It complies with the specifications of the International Padel Federation.





UNE-EN 1090

Features

- Court size 10x20m
- 12mm tempered glass
- Anti-injury folded mesh system
- Galvanized steel structure with QUALICOAT[®] paint coating.
- Latest generation LED lighting 8 x 200W
- Textured turf of 10mm, MONDO SuperCourt or Italgreen Padel Pro. Monofilament option available for heat environments.

14001 CERTIFIED

Customization Options

- Single padel court 6mx20m
- Light posts design (curve, straight or Z)
- Turf and structural elements colour options
- Entry and net protectors personalized with clients logo
- Entrance plate with MejorSet's logo

Extra

- Two-coat pure epoxy primer for coastal and high-temperature environments
- LED lighting premium LED Project
- Installation services
- Global shipping and logistics services
- After-sales service





Vinload:

144 km/h

Turf

Textured or straight turf, 12 or 10mm, to guarantee a perfect bounce and foot grip.

SPADEI

Structure

Galvanized steel with QUALICOAT certified epoxy paint, in all possible colors. Possibility of marine primer for coastal environments.

Lighting

IM PADEL COURTS

3 different options for the shape and personalization on the colors of the lights structure.

Choose between different spotlight models according to the light intensity required for your project.

Glass and corners

12mm of tempered glass that provides total visibility and resistance to the most demanding game.

THE BEST VALUE FOR MONEY

Panoramic RC10

Protection and covers

Option of customization in protectors and net post, and entrance plate.

V-PRO Classic

Classic and quick installation

The classic model of padel courts redesigned to provide maximum modernity, visibility and comfort.

Ideal for first contact with padel, and clubs that need to have the minimum maintenance, cost control and profitability.

Ideal for both indoor and outdoor courts.





Features

- Court size 10x20m
- 10mm tempered glass
- Galvanized steel structure with QUALICOAT[®] paint coating.
- Anti-injury folded mesh system
- 8 x 200W LED lighting of the latest generation.
- Monofilament 12mm high-quality artificial turf



Customization Options

- Single padel court 6mx20m
- Light posts design
- Turf colour options
- Structural elements colour options
- Entry and net protectors personalized with clients logo
- Entrance plate with MejorSet logo
- Increased thickness of the structure for extra winload resistance

Extra

- Two-coat pure epoxy primer for coastal and high-temperature environments
- LED lighting premium LED Project
- Installation services
- Global shipping and logistics services
- After-sales service





Turf

Textured or straight turf, 12 or 10mm, to guarantee a perfect bounce and foot grip.

XDADEL

Glass and corners

10mm of tempered glass that provides total visibility and resistance to the most demanding game.

Structure

Galvanized steel with QUALICOAT certified epoxy paint, in all possible colors. Possibility of marine primer for coastal environments.

NI

Lighting

3 different options for the shape and personalization on the colors of the lights structure.

Choose between different spotlight models according to the light intensity required for your project.

Protection and covers

Option of customization in protectors and net post, and entrance plate.

WIND LOAD RESISTANCE AND LOW MAINTENANCE

V-PRO Classic

X-Treme Court

The most resistant court for extreme weather conditions

Tested to withstand the strongest tropical winds and hurricanes up to 265km/h or 165mp/h, the X-Treme court is the perfect blend of robustness and aesthetics.






American regulations

European standards

Features


- Court measurement 10x20m
- Special tempered glass
- Anti Corrosive structure top ring primed with zinc
- Anti-injury folding mesh system
- Galvanized steel structure with QUALICOAT[®] paint coating.



- 8 x 200W LED lighting of the latest generation.
- 12mm monofilament artificial turf
- Customization in protectors and net post included
- Entrance plate included

Certified by

Florida Building Code (7th Edition), 2020. American Society of Civil Engineers, 7-16. ASTM E1300. American Institute Steel Construction, 15th Edition. Building Code Requirements for Structural Concrete, ACI 318-14.



Customization Options Extra

- Structural elements colour options (up to 2)
- Light posts design
- Turf color options

Two-coat pure epoxy primer for coastal and high-temperature environments

- LED lighting premium LED Project
- Installation services
- Global shipping and logistics services
- After-sales service





Anti Corrosive primed with zinc tubular top ring to ensure the court is hurricane-resistant.

*DADE

Glass

Withstand wind gusts of up to 265 km/h or 165 mph with 15mm tempered glass.

Various types of lighting

200W LED lighting. 3 different options for the shape and personalization on the colors of the lights structure.

Choose between different spotlight models according to the light intensity required for your project.

Protection and covers

Customization in protectors and net post included, and entrance plate.



Turf

Textured or straight turf, 12 or 10mm, to guarantee a perfect bounce and foot grip.

Glass fixation

2.5mm Magnelis carbon steel sheet, coated on both sides with a zinc-aluminum-magnesium alloy, to ensure the fixing of the crystals to the ground.



Maximizing Space: The Single Court

Introducing 1vs1 individual courts, a perfect solution for clubs looking to maximise their space. These courts, measuring 20x6 meters (approx. 65.6x19.7 feet), offer numerous benefits:

- Space Efficiency: Ideal for clubs with limited space, allowing more courts to be installed within the same area.
- Versatility:Perfect for training sessions, practice drills, and friendly competitions.

 Cost-Effective: Lower maintenance costs due to smaller court size, while still offering a high-quality playing experience.

Option available for all models excluding the X-Treme.





PADEL

state and a state.

PAINTING AND PRIMING

Up to two different personalized colours*

QUALICOAT- certified finish

The metal components are coated with a thermosetting powder paint formulated with polyester resins. This QUALICOAT-certified coating, in the customer's desired color, provides these elements with excellent resistance to corrosion and UV rays, as well as high resistance to mechanical impacts.

All our courts come standard with a C4

resistance class once they have been primed and painted in our factory. This means medium-high resistance to water and humidity, making them ideal for both indoor and outdoor environments.

Double Coating

After double priming or galvanizing, a C5 paint grade is achieved, ensuring complete impermeability and resistance to the most extreme conditions, including coastal and salty environments.

*FIP Official Court and Premier Padel Limited Edition come with predefined colors

COATING (C5)

PRIMING (C4)


PRE-TREATMENT

FOUNDATION





PAINTING AND PRIMING LEVELS OF RESISTANCE




All our padel courts have an estimated durability of **15 years of corrosion protection**, in accordance with the QUALISTEELCOAT homologated class.

The grade is applied on the basis of resistance to the number of hours of exposure to saline environments.

CORROSIVITY	ENVIRONMENT EXAMPLES	
CATEGORY	EXTERIOR	INTERIOR
C5 Very High	ldeal for coastal environments and areas of high humidity and aggressive atmosphere and high salinity.	
C4 High	Ideal for all outdoor installation with standard conditions (not extremely rainy, or coastal areas)	ldeal for all interiors.
C3 Medium	Inshore areas of low salinity.	Production hall to facilities humidity and certain air contamination e.g. foodstuff plants, laundries, breweries, dairies.
C2 Low	Atmospheres Contaminated to a small extent, mainly rural regions.	Buildings which are not heated, where condensation may occur e.g. storage facilities, sports halls.
C1 Very low	-	Heated buildings with a clean atmosphere such as offices, shops, schools, hotels.









Asymmetric Optics in all the models

/ /				/ /			′	
ww	8x180W		PV 8x180W		ECO-T 8x20	wo	TV 12x24	DW TV broadcasting 1000 lx
2 LED LIG 8 LIGHTS			2 LED LIGHT POLE 8 LIGHTS COURT		LED LIGHT POLE LIGHTS COURT	3	LED LIGHT PO 2 LIGHTS COUR	
	WW 8 X180W		PV 8 X180W		ECO-T 8 X200W		TV 12X240W	
	OUTDOOR	INDOOR	OUTDOOR	INDOOR	OUTDOOR	INDOOR	OUTDOOR	INDOOR
Highest level of competition: national and international.					~		~	~
Regional competitions and high-level training.			\checkmark		~	~	\checkmark	~
Local competitions, training, school and recreational use.	\checkmark	\checkmark	~	\checkmark	~	\checkmark	~	~
Waterproof	IP65: Water	resistant		esistant against h-pressure water jets.	IP67: V	Vaterproof	IP67: V	Vaterproof



MMONDO PREMIER SUPERCOURT® X3

DTEX: 8.200

INFILL: Sand

FIBER TYPE: Textured monofilaments XNOVA in a parallelepiped shape with concave sides, characterized by 4 grooves and 4 asymmetric ribs as side reinforcements, textured monofilaments XOMEGA with a semicircular structure, triangular monofilaments XDELTA, with silica sand infill.

HEIGHT : 10 mm

OFFICIAL TURF OF THE INTERNATIONAL PADEL FEDERATION AND PREMIER PADEL.

This next-generation synthetic grass system combines XNOVA, XOMEGA, and XDELTA textured monofilaments.

XNOVA monofilaments, with a parallelepiped shape that includes asymmetrical grooves and ribs, have a thickness of 170 microns. XOMEGA filaments have a semicircular structure with a thickness of 200 microns, while XDELTA filaments have a triangular shape and a thickness of 200 microns.

These filaments, specially designed and produced by Mondo to meet padel's needs, are characterized by silica sand infill.





COLOR RANGE



MINIONDO NSF MONOFIBRE

Yarn Properties		Carpet Properties	
Yarn name:	STX	Pile height (ISO 2549):	12 mm (± 5%)
Linear density of yarn:	9.300 dtex (± 10%)	Stitch rate (ISO 1763):	23 tufts/dm
Yarn Composition:	100% POLYETHYLENE	Tuft density (ISO 1763):	48.300 tufts/m2 (± 10%)
Yarn color:	Green, blue, Orange	Tuft density:	579.600/m²
Filaments Type:	STX	Tufting pattern:	Linear tufting
Linear density of filaments:	1.550 dtex (± 10%)	Gauge:	3/16"
Thickness of filaments (FIFA method 25):	250 µm (± 10%)	Primary backing construction:	doublel ayer of polypropylene
Structure of filaments:	straight monofilament	Secondary backing composition:	Polyurethane (PU)
Number of filaments:	6	Water Permeability (EN 12616):	≥ 500 mm/h
		Maximum roll size:	25 x 4 m

Carpet weight		Infill properties	
Pile weight (ISO 8543):	1.405 g/m² (± 10%)	Stabilizing Infill:	Quartz sand, rounded, washed and dried
Primary backing weight:	223 g/m ² (± 10%)	Particle size (range):	0,3 - 0,8 mm
Secondary backing weight:	600 g/m ² (±10%)	Quantity:	15 kg/m ²
Total weight (ISO 8543):	2.228 g/m ² (±10%)		







MINONDO NSF SHOT XN

Yarn Properties		Carpet Properties	
Yarn name:	SHOT XN	Pile height (ISO 2549):	10 mm (± 5%)
Linear density of yarn:	9.000 dtex (± 10%)	Stitch rate (ISO 1763):	17 tufts/dm
Yarn Composition:	100% POLYETHYLENE	Tuft density (ISO 1763):	35.700 tufts/m ² (± 10%)
Yarn color:	Green, blue, Red	Tuft density:	571.200/m ²
Filaments Type:	XNOVA TEXT M	Tufting pattern:	Linear tufting
Linear density of filaments:	1.125 dtex (± 10%)	Gauge:	3/16"
Thickness of filaments (FIFA method 25):	170 μ m (± 10%)	Primary backing construction:	doublel ayer of polypropylene
Structure of filaments:	curly monofilament	Secondary backing composition:	Polyurethane (PU)
Number of filaments:	8	Water Permeability (EN 12616):	500 mm/h (solo campi outdoor)
		Maximum roll size:	25 x 4 m

Carpet weight		Infill properties	
Pile weight (ISO 8543):	1.178 g/m ² (± 10%)	Stabilizing Infill:	Quartz sand, rounded, washed and dried
Primary backing weight:	223 g/m ² (± 10%)	Particle size (range):	0,2 - 0,6 mm
Secondary backing weight:	600 g/m ² (±10%)	Quantity:	10 kg/m ²
Total weight (ISO 8543):	2.001 g/m ² (±10%)		








MONDO SUPERCOURT XN

Yarn Properties		Carpet Properties	
Yarn name:	Supercourt XN	Pile height (ISO 2549):	10 mm (± 5%)
Linear density of yarn (average):	8.610 dtex (± 10%)	Stitch rate (ISO 1763):	22 tufts/dm
Yarn Composition:	100% POLYETHYLENE	Tuft density (ISO 1763):	46.200 tufts/m ² (± 10%)
Yarn color:	Green, blue, Red	Tuft density:	554.400/m ²
Filaments Type:	STX TEXT / XNOVA TEXT	Tufting pattern:	Linear tufting
Linear density of filaments:	1.720 / 1.150 dtex (± 10%)	Gauge:	3/16"
Thickness of filaments (FIFA method 25):	250 / 170 μm (± 10%)	Primary backing construction:	doublel ayer of polypropylene
Structure of filaments:	curly monofilament / curly monofilament	Secondary backing composition:	Polyurethane (PU)
Number of filaments:	3/3	Water Permeability (EN 12616):	500 mm/h (outdoor courts only)
		Maximum roll size:	25 x 4 m

Carpet weight		Infill properties	
Pile weight (ISO 8543):	1.393 g/m ² (± 10%)	Stabilizing Infill:	Quartz sand, rounded, washed and dried
Primary backing weight:	223 g/m ² (± 10%)	Particle size (range):	0,2 - 0,6 mm
Secondary backing weight:	600 g/m² (±10%)	Quantity:	10 kg/m ²
Total weight (ISO 8543):	2.216 g/m ² (±10%)		







UPGRADE YOUR COURT


Customization of the Entrance guards and net pole



MejorSet's or customized entrance trim



Professional play net 15mm



Ball escape protection net







UPGRADE YOUR COURT

Premium LED Lighting



Outdoor preparation: Double Coating and Stainless steel fasteners



Technical Area Grass



Portability System







FREQUENTLY ASKED QUESTIONS

Manufacturing of the Courts: The process and certifications

Start a Padel Club: Licenses and permits

Installation of the Courts: 2-3 days





MANUFACTURING

Our courts are ready in 4 weeks

At our manufacturing facility located in Crevillente, Spain, we comprehensively carry out all production processes. Order processing begins from the conceptual stage, with a lead time of 4 weeks, ensuring strict compliance with both national and international certifications.

Our commitment to quality is reflected in the exclusive use of galvanized steel for the construction of all our structures. Additionally, we apply an epoxy paint coating to enhance durability and resistance to adverse conditions. For even more comprehensive protection, we offer the option of priming the structures, strengthening their resistance and extending their lifespan.

CERTIFICATIONS

Our courts have the Certificate of conformity of factory production control ES24/00000034. In compliance with UNE-EN 1090-1: 2011+A1:2012

As well we comply with the ISO 14001, demonstrating that we carry out our production in terms of environmental matters by promoting the protection of the natural environment and the prevention of pollution.

An ISO 9001 QMS documents the processes, procedures, and responsibilities for achieving quality policies and objectives. Based on seven quality management principles, the ISO 9001:2015 standard defines the way an organization operates to meet the requirements of its customers and stakeholders







LICENCES AND PERMITS NEEDED TO BUILD A PADEL COURT

The permits required may vary depending on the location in which the court or club is built, but some of the common permits are as follows:

Building permit: It is necessary to obtain a building permit from the corresponding town hall. This permit must be requested by a competent architect or technician and must include the plans and technical specifications of the work.

Activity license: Once the court has been built, it is necessary to obtain an activity license in order to operate the padel court. This license is obtained from the corresponding municipality and must comply with certain technical and safety requirements.

Permit for electrical installation: You need to have halogen-free wiring and a permit to prove it.

Sanitary registration: If bar or restaurant services are to be offered at the facility, a sanitary registration must also be obtained. This registration is obtained through the Ministry of Health and must comply with certain requirements related to food hygiene and safety.

Civil liability insurance: It is mandatory to take out civil liability insurance to cover possible damages that may be caused to third parties in the facility.

Minor works license: If minor alterations are to be made to the facility, such as repairs or changes of furniture, a minor works license must be obtained from the corresponding local council.





SHIPMENT AND INSTALLATION

What Incoterms do we use?

CIF and CFR for sea shipments around the World.For our USA and Canada Customers we deliver DDP, a turn-key service with our North America installation team.

How many padel courts fit in a container? How do I make my investment more profitable?

To ensure the profitability of an investment, numerous factors must be considered. However, at MejorSet, we recommend calculating the metrics on a per-shipping-container basis for international shipments. It's important to note that the typical capacity per container is three courts, although this doesn't apply to the X-Treme model. In the case of courts featuring monofilament turf, only two courts will fit in a container due to the additional space required for sand. The average estimate for a club is 4 to 6 courts, which would mean up to 2 containers.


Additionally, it's worth mentioning that up to four courts can be loaded into a container without including the sand, with the crystals packaged in wooden boxes.

What are the installation options?

We can offer you 2 options to establish your courts: Installation with MejorSet's team (3-4 people) so the installation is done in 2 to 3 days, or installation with a MejorSet supervisor, who will guide your own local team of installers following our instructions to achieve the best result.















GREENWEEZ

OOREGOO GATAR MAJOR P R E M I E R PADEL









Ready. Set. Go. Hetspa

MejorSet Global HQ

Poligono Industrial i4, 20. 03330 Crevillente - Alicante - Spain info@mejorset.com

ÉVENEMENT FÉDÉRATION FRANÇAISE DE TENNIS

Whatsapp (+34) 602 25 06 21 MejorSet North America and Canada m.scade@mejorset.com

R

A

OFFICIAI

